

MAX-IN[®] for Beans

The Next Generation of Crop Booster[®] for Beans



®

Guaranteed Analysis

| | |
|------------------------------------|--------------|
| Boron (B) | 0.20% |
| Iron (Fe) | 0.30% |
| 0.30% water soluble Iron (Fe) | |
| Manganese (Mn) | 3.20% |
| 3.20% water soluble Manganese (Mn) | |
| Molybdenum (Mo) | 0.01% |
| Zinc (Zn) | 2.10% |
| 2.10% water soluble Zinc (Zn) | |

MAX-IN TECHNOLOGY
LOGO HERE

Derived from: Sodium borate, iron nitrate, manganese nitrate, sodium molybdenum, and zinc nitrate.

*Patent pending

F1683

CAUTION

KEEP OUT OF REACH OF CHILDREN

In case of contact, flush with water.

DIRECTIONS FOR USE:

For use in a balanced fertility program for all crops requiring boron, iron, manganese, molybdenum and zinc. User should seek the advice of a certified crop advisor or trained agronomist. For specific crop recommendations in your area, consult your state's recommendations.

CAUTION: Over-application or excessive use of boron, or use on crops other than those listed can result in boron toxicity and may cause serious crop injury.

MAX-IN for Beans contains a crop based, adjuvant system which assists in absorption and movement of nutrients in the plant. MAX-IN for Beans is not to be used as a replacement for any surfactant in recommendations tank-mixed with herbicides. The use of ammonium sulfate is always recommended when tank-mixed with glyphosate based products and other herbicides.

MAX-IN for Beans is specifically designed for use on soybeans in conjunction with glyphosate products. However, this product can be used on other crops where the addition of micronutrients would be beneficial. It is compatible with most agricultural pesticides. However, if local information is not available, a jar test for compatibility should be conducted prior to large scale mixing.

Mixing Instructions:

1. Add water and agitate
2. Add an ammonium sulfate source or water conditioner
3. Add MAX-IN for Beans
4. Add Pesticides

NOTE: If wettable powders or water dispersible granules (WDG) are used, slurry them in water prior to addition.

Distributed By:
Winfield Solutions LLC
PO Box 64589
St. Paul, Minnesota 55164-0589

0/0326/9
Weight Per Gallon: 10.5 pounds
NET WEIGHT: 26.26 lbs. (11.91 kg.)
NET CONTENTS: 2.5 Gallons (9.464 Liters)

Mixing Instructions When Mixed With Glyphosate:

1. Fill tank ½ full with water and agitate
2. Add Class Act Next Generation or AMS and agitate
3. Add MAX IN Beans, continue agitation
4. Fill tank to ¾ full and continue agitation
5. Add glyphosate and continue agitation
6. Fill tank to full

Do not mix MAX IN Beans and glyphosate together in the cone inductor. If using a cone induction system rinse it out thoroughly with water between the addition of MAX IN Beans and glyphosate.

At the end of the day, rinse out spray booms.

CAUTION: Check compatibility with orthophosphates, high potash suspensions, and chemical mixtures.

Not intended for use with phosphate fertilizers. May cause serious crop damage if misused. This fertilizer is to be used only on soils which respond to molybdenum. Crops high in molybdenum are toxic to ruminants.

Foliar Application:

| | |
|---------------------|-----------------|
| Mild Deficiency | 1 quart/acre |
| Moderate Deficiency | 1.5 quarts/acre |
| Severe Deficiency | 2.0 quarts/acre |

Apply in a minimum of 10 gallons of water by ground.

Applications should be made in the V3-V5 stage and repeated, if necessary, at the R1-R2 stage.

For Use In Wisconsin: Use 0.15/lbs. of Manganese per acre (0.47 gallons of MAX-IN FOR BEANS) for foliar applications.

This product is not recommended for soil application with liquid fertilizers.

Aerial Application:

| | |
|---------------------|-----------------|
| Mild Deficiency | 1 quart/acre |
| Moderate Deficiency | 1.5 quarts/acre |
| Severe Deficiency | 2.0 quarts/acre |

Apply in a minimum of 3 gallons of water by air.

Applications should be made in the V3-V5 stage and repeated, if necessary, at the R1-R2 stage.

Caution:

- Keep out of the reach of children
- Harmful if swallowed
- Avoid breathing spray mist
- Contact may cause eye or skin irritation
- Avoid contact with eyes and prolonged contact with skin

First Aid:

In case of contact, flush eyes with plenty of water for at least 15 minutes and get prompt medical attention. Wash skin thoroughly with soap and water.

STORAGE

MAX-IN FOR BEANS can be corrosive to tanks, pumps, meters and fittings. Store in stainless steel or polyethylene tanks with stainless steel or polyethylene fittings.

Freezing Temperature: 32° F.

For Chemical Spill, Leak, Fire or Exposure, Call Chemtrec (800) 424-9300.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

WARRANTY DISCLAIMER

Winfield Solutions, LLC warrants only that the chemical composition of this product conforms to the ingredient statement given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use.

The directions for use of this product must be followed carefully. EXCEPT AS PROVIDED ABOVE AND TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, (1) THE GOODS DELIVERED TO YOU ARE FURNISHED "AS IS" BY MANUFACTURER OR SELLER AND (2) MANUFACTURER AND SELLER MAKE NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE, OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE. UNINTENDED CONSEQUENCES, INCLUDING BUT NOT LIMITED TO INEFFECTIVENESS, MAY RESULT BECAUSE OF SUCH FACTORS AS THE PRESENCE OR ABSENCE OF OTHER MATERIALS USED IN COMBINATION WITH THE GOODS, OR THE MANNER OF USE OR APPLICATION, INCLUDING WEATHER, ALL OF WHICH ARE BEYOND THE CONTROL OF MANUFACTURER OR SELLER AND ASSUMED BY BUYER OR USER. THIS WRITING CONTAINS ALL OF THE REPRESENTATIONS AND AGREEMENTS BETWEEN BUYER, MANUFACTURER AND SELLER, AND NO PERSON OR AGENT OF MANUFACTURER OR SELLER HAS ANY AUTHORITY TO MAKE ANY REPRESENTATION OR WARRANTY OR AGREEMENT RELATING IN ANY WAY TO THESE GOODS.

LIMITATION OF LIABILITY

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL MANUFACTURER OR SELLER BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR FOR DAMAGES IN THEIR NATURE OF PENALTIES RELATING TO THE GOODS SOLD, INCLUDING USE, APPLICATION, HANDLING, AND DISPOSAL. MANUFACTURER OR SELLER SHALL NOT BE LIABLE TO BUYER OR USER BY WAY OF INDEMNIFICATION TO BUYER OR TO CUSTOMERS OF BUYER, IF ANY, OR FOR ANY DAMAGES OR SUMS OF MONEY, CLAIMS OR DEMANDS WHATSOEVER, RESULTING FROM OR BY REASON OF, OR ARISING OUT OF THE MISUSE, OR FAILURE TO FOLLOW LABEL WARNINGS OR INSTRUCTIONS FOR USE, OF THE GOODS SOLD BY MANUFACTURER OR SELLER TO BUYER. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, USER, OR ITS CUSTOMERS. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND MANUFACTURER'S OR SELLER'S TOTAL LIABILITY SHALL BE FOR DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT.

If you do not agree with or do not accept any of directions for use, the warranty disclaimers, or limitations on liability, do not use the product, and return it unopened to the Seller, and the purchase price will be refunded.

MAX-IN[®], and Origin[®] are registered trademarks of Winfield Solutions LLC.