



## SAFETY DATA SHEET

Name of Product:

**ALPINE MicroBolt Zn™**

Product #: F 573  
Revision Date: August 5, 2015

---

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

PRODUCT NAME: ALPINE MicroBolt Zn  
SYNONYMS: Zinc 9%  
PRODUCT CODES: F 573

MANUFACTURER: NACHURS ALPINE SOLUTIONS®  
DIVISION: Marion  
ADDRESS: 421 Leader Street, Marion OH 43302, United States

EMERGENCY PHONE: 1-800-424-9300 (CHEMTREC)

CHEMICAL NAME: Zinc Oxide Ethylenediaminetetraactate Chelate Water Solution  
CHEMICAL FAMILY: Chelated Micronutrient solution  
CHEMICAL FORMULA: EDTA with Zinc

PRODUCT USE: Agricultural Nutrient Supply

PREPARED BY: NACHURS ALPINE SOLUTIONS®

SECTION 1 NOTES:

---

### SECTION 2: HAZARDS IDENTIFICATION

---

EMERGENCY OVERVIEW: Use with Care!

ROUTES OF ENTRY: Inhalation, Ingestion, Injection, Absorption

POTENTIAL HEALTH EFFECTS

- EYES: May cause irritation, redness and pain
- SKIN: May cause irritation
- INGESTION: May cause irritation, nausea, stomach pain
- INHALATION: May cause irritation of mucous membrane

ACUTE HEALTH HAZARDS: Liquid contact may cause slight eye irritation & repeated skin exposure may cause some skin irritation.

CHRONIC HEALTH HAZARDS: None Reported

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None Reported

CARCINOGENICITY:

- OSHA: No data established
- ACGIH: No data established
- NTP: No data established
- IARC: No data established
- OTHER: N/A

# SAFETY DATA SHEET

Product #: F 573

Name of Product: **ALPINE MicroBolt Zn™**

Revision Date: August 5, 2015

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

INGREDIENT:	Zinc Oxide	11.25%
	Nitriloriaoptic Acid	less than 0.1%
	Ethylenediaminetetraacetate	43.72%
	Ammonium Hydroxide	16.74%
	Water	28.19%

CAS NO.:	Zinc Oxide	1314-13 -2
	Nitriloriaoptic Acid	139-13-9
	Ethylenediaminetetraacetate	000060-004
	Ammonium Hydroxide	1336-21-6
	Water	7732-18-5

% WT: 100%  
% VOL:

SARA 313 REPORTABLE: N/A  
pmm:  
mg/m3:

OSHA PEL-TWA: N/A  
OSHA PEL STEL: N/A  
OSHA PEL CEILING: N/A

ACGIH TLV-TWA: N/A  
ACGIH TLV STEL: N/A  
ACGIH TLV CEILING: N/A

SECTION 3 NOTES:

---

## SECTION 4: FIRST AID MEASURES

---

EYES: Flush eye immediately and thoroughly with water for at least 15 minutes. If irritation persists, seek medical attention.

SKIN: Flush skin immediately and thoroughly with water. If irritation persists, seek medical attention.

INGESTION: CALL POISON CONTROL. If conscious, immediately give water or milk to dilute stomach acid. Do not induce vomiting. If spontaneous vomiting should occur, lean head below hips to prevent aspiration of liquid into lungs. Get medical attention immediately.

INHALATION: Remove to fresh air. Seek medical attention if necessary.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/A

SECTION 4 NOTES:

---

## SECTION 5: FIRE-FIGHTING MEASURES

---

FLAMMABLE LIMITS IN AIR: UPPER: N/A  
(% BY VOLUME) LOWER: N/A

FLASH POINT: N/A

METHOD USED: N/A

AUTOIGNITION TEMPERATURE: N/A

# SAFETY DATA SHEET

Product #: F 573

Name of Product: **ALPINE MicroBolt Zn™**

Revision Date: August 5, 2015

---

## NFPA HAZARD CLASSIFICATION:

HEALTH: 1  
FLAMMABILITY: 0  
REACTIVITY: 0  
OTHER: None

## HMIS HAZARD CLASSIFICATION

HEALTH: 1  
FLAMMABILITY: 0  
REACTIVITY: 0

## PROTECTION:

EXTINGUISHING MEDIA: If involved is a fire, use water or media suitable for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES: Wear positive pressure self-contained breathing apparatus & full protective clothing

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen oxides may be released if dried product is burned.

## SECTION 5 NOTES:

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

ACCIDENTAL RELEASE MEASURES: Prevent product from entering drinking water supplies or streams. In the case of a spill, isolate area and maximize recovery. Mop up promptly or absorb using inert materials (sand/earth/kitty litter) and place in metal or plastic containers. Reuse material if possible or dispose of material according to local, provincial & federal regulations.

## SECTION 6 NOTES:

---

## SECTION 7: HANDLING AND STORAGE

---

HANDLING AND STORAGE: Store in suitable containers made of mild steel, plastic fiberglass, or stainless steel. Do not store in containers containing aluminum or copper. Store in a tightly closed container. Store in a cool, dry, and well-ventilated area and away from incompatible substances. PROTECT FROM FREEZING.

OTHER PRECAUTIONS: Immediately clean up any spills that occur during handling & storage. General safety and industrial hygienic practices should always be followed. Remove contaminated clothing and wash before reuse.

## SECTION 7 NOTES:

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

ENGINEERING CONTROLS: Use adequate general and local exhaust ventilation to keep airborne concentrations below exposure limits.

VENTILATION : Provide adequate ventilation for local areas.

RESPIRATORY PROTECTION: Respirators are not required under normally ventilated conditions. If misted by heat, agitation or spray, use a mist respirator approved by NIOSH.

EYE PROTECTION: Safety glasses are recommended

# SAFETY DATA SHEET

Product #: F 573

Name of Product: **ALPINE MicroBolt Zn™**

Revision Date: August 5, 2015

---

SKIN PROTECTION: Wear impervious gloves and clothing

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A

WORK HYGIENIC PRACTICES: Wash hands thoroughly after handling.

EXPOSURE GUIDELINES: See Section 3.

SECTION 8 NOTES:

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

APPEARANCE: Clear/ Slight Amber

ODOR: May have slight ammonia odor

PHYSICAL STATE: Liquid

pH AS SUPPLIED: 6.8 – 7.2  
pH (Other):

BOILING POINT:

F°: 200°F  
C°: 93.3°C

MELTING POINT:

F°: 0°F  
C°: -17.8°C

FREEZING POINT:

F°: 0°F  
C°: -17.8°C

VAPOR PRESSURE (mmHg) N/A

VAPOR DENSITY (AIR = 1) N/A

SPECIFIC GRAVITY (H<sub>2</sub>O = 1) 1.3 – 1.32

EVAPORATION RATE: N/A

BASIS (=1):

SOLUBILITY IN WATER: Complete

PERCENT SOLIDS BY WEIGHT: 71.81%

PERCENT VOLATILE: N/A

BY WT  
BY VOL @F°:  
C°:

# SAFETY DATA SHEET

Product #: F 573

Name of Product: **ALPINE MicroBolt Zn™**

Revision Date: August 5, 2015

VOLATILE ORGANIC COMPOUNDS (VOC): 0%  
WITH WATER LBS/GAL:  
WITHOUT WATER LBS/GAL:

MOLECULAR WEIGHT: N/A  
VISCOSITY: Same as water

SECTION 9 NOTES:

## SECTION 10: STABILITY AND REACTIVITY

	STABLE	UNSTABLE
STABILITY:	x	
CONDITIONS TO AVOID (STABILITY):	Excessive heat.	
INCOMPATIBILITY (MATERIAL TO AVOID):	Water-reactive materials, strong oxidizers and acids. Avoid contact with aluminum or copper containing metals.	
HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:	Nitrogen oxides may be released if dried product is burned.	
HAZARDOUS POLYMERIZATION:	Will not occur	
CONDITIONS TO AVOID (POLYMERIZATION):	N/A	

SECTION 10 NOTES:

## SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No data established for this product. For similar product – LD50 (Oral, Rat): > 2000 mg/kg

SECTION 11 NOTES:

## SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Do not allow entry into drinking water. This product is a fertilizer solution. Release of large quantities into a body of water can substantially alter the nutrient composition effect on aquatic plants, fish, and animal life.

No data established for this product.

SECTION 12 NOTES:

## SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: As product should have a pH of less than 12.5 & would not be considered hazardous waste, according to EPA Regulation 40CFR261. Dispose of in accordance with provincial & local regulations

RCRA HAZARD CLASS: N/A

SECTION 13 NOTES:

# SAFETY DATA SHEET

Product #: F 573

Name of Product: **ALPINE MicroBolt Zn™**

Revision Date: August 5, 2015

---

## SECTION 14: TRANSPORT INFORMATION

---

### U.S. DEPARTMENT OF TRANSPORTATION/TRANSPORT CANADA:

PROPER SHIPPING NAME: Zinc Oxide Ethylenediaminetetraacetate Chelate Water Solution  
HAZARD CLASS: N/A  
ID NUMBER: N/A  
PACKING GROUP: N/A  
LABEL STATEMENT:  
Health: 1 Flammability: 0 Reactivity: 0 Specific: None

### WATER TRANSPORTATION:

PROPER SHIPPING NAME: Zinc Oxide Ethylenediaminetetraacetate Chelate Water Solution  
HAZARD CLASS: N/A  
ID NUMBER: N/A  
PACKING GROUP: N/A  
LABEL STATEMENTS:  
Health: 1 Flammability: 0 Reactivity: 0 Specific: None

### AIR TRANSPORTATION

PROPER SHIPPING NAME: Zinc Oxide Ethylenediaminetetraacetate Chelate Water Solution  
HAZARD CLASS: N/A  
ID NUMBER: N/A  
PACKING GROUP: N/A  
LABEL STATEMENTS:  
Health: 1 Flammability: 0 Reactivity: 0 Specific: None

### OTHER AGENCIES:

SECTION 14 NOTES:

---

## SECTION 15: REGULATORY INFORMATION

---

### U.S. FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT): Yes  
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): No  
SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): N/A  
311/312 HAZARD CATEGORIES: N/A  
313 REPORTABLE INGREDIENTS: Zinc Oxide, Nitriloriaoptic Acid, Ethylenediaminetetraacetate, Ammonium Hydroxide

### STATE REGULATIONS:

### INTERNATIONAL REGULATIONS:

### CANADA FEDERAL REGULATIONS:

WHMIS CLASSIFICATIONS: Not Regulated  
DSL (Domestic Substance List):  
Zinc Oxide: No  
Nitriloriaoptic Acid: Yes  
Ethylenediaminetetraacetate: No  
Ammonium Hydroxide: Yes

### SECTION 15 NOTES:

# SAFETY DATA SHEET

Product #: F 573

Name of Product: **ALPINE MicroBolt Zn™**

Revision Date: August 5, 2015

---

## SECTION 16: OTHER INFORMATION

---

OTHER INFORMATION:

*PREPARATION INFORMATION: Technical Services Department*

**DISCLAIMER:** The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and NACHURS ALPINE SOLUTIONS® will not be liable for any damages, losses, injuries or consequential damages which may result from the use or reliance on any information contained herein. This Material Safety Data Sheet is valid for three years.