

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	DuPont™ Classic® Herbicide
Tradename/Synonym	:	B10048070 CHLORIMURON ETHYL (Ethyl 2-[[[(4-chloro-6-methoxypyrimidin-2-yl)amino]carbonyl]amino]sulfonyl]benzoate
MSDS Number	:	130000023963
Product Use	:	Herbicide
Manufacturer	:	E.I. du Pont Canada Company P.O. Box 2200, Streetsville Mississauga, ON L5M 2H3 Canada
Product Information	:	1-800-387-2122
Medical Emergency	:	1-800-441-3637 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

May irritate eyes, nose, throat or skin. May be harmful if absorbed through skin. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

Repeated exposure
Quartz : DuPont has classified this material as a known human carcinogen.

Carcinogenicity Material	IARC	OSHA	ACGIH
-----------------------------	------	------	-------

Titanium dioxide	2B		
------------------	----	--	--

Quartz	1		A2
--------	---	--	----

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Chlorimuron ethyl	90982-32-4	25 %
Other Ingredients		75 %

Present as an impurity in the clay component of this product:

Titanium Dioxide		<1 %
Quartz		<1 %

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

SECTION 4. FIRST AID MEASURES

- | | |
|----------------|--|
| Skin contact | : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. |
| Eye contact | : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| Inhalation | : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary. |
| Ingestion | : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary. |
| General advice | : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For medical emergencies involving this product, call toll free 1-800-441-3637.
See Label for Additional Precautions and Directions for Use. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|--|
| Flammable Properties | |
| Ignition temperature | : 330 °C (626 °F) |
| Lower explosion limit/ lower flammability limit | : 0.212 g/l |
| Fire and Explosion Hazard | : Under severe dusting conditions, this material may form explosive mixtures in air. |
| Suitable extinguishing media | : Water spray, Dry chemical, Foam, Carbon dioxide (CO2) |

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

Unsuitable extinguishing media : High volume water jet, (contamination risk)

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Wear suitable protective equipment.
If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Use water spray. Runoff from fire control may be a pollution hazard. Control Runoff.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Cleanup : Dike spill. Prevent further leakage or spillage. Shovel or sweep up. Dispose of in an approved container. Take special care to avoid contamination of equipment and facilities during cleanup procedures and disposal of wastes. For minor spills, leaks, etc., follow all precautions indicated on the label and clean up immediately. If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash the outside of gloves before removing. Wash thoroughly and put on clean clothing.

Handling (Physical Aspects) : Avoid dust formation.



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Keep out of the reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

[MCM - NA SDS template/Canada Gen Variant is not working correctly for FRIT/CERM/ALLOY](#)

Engineering controls : Use only with adequate ventilation. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified for "Applicators and Other Handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment breakdown.

Personal protective equipment

Skin and body protection : Applicators and other handlers must wear:
Long sleeved shirt and long pants
Chemical resistant gloves made of any waterproof material
Polyvinylchloride
Shoes plus socks
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
Coveralls
Chemical resistant gloves made of any waterproof material
Polyvinylchloride
Shoes plus socks

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated.

Exposure Guidelines

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

Exposure Limit Values

Kaolin TLV	(ACGIH)	2 mg/m ³	TWA Respirable fraction.
Sucrose TLV	(ACGIH)	10 mg/m ³	TWA
Chlorimuron ethyl AEL *	(DUPONT)	10 mg/m ³	8 & 12 hr. TWA Total dust.
AEL *	(DUPONT)	5 mg/m ³	8 & 12 hr. TWA Respirable dust.
AEL *	(DUPONT)	10 mg/m ³	8 & 12 hr. TWA Total dust.
AEL *	(DUPONT)	5 mg/m ³	8 & 12 hr. TWA Respirable dust.
Titanium dioxide TLV	(ACGIH)	10 mg/m ³	TWA
AEL *	(DUPONT)	10 mg/m ³	8 & 12 hr. TWA Total dust.
AEL *	(DUPONT)	5 mg/m ³	8 & 12 hr. TWA Respirable dust.
Quartz TLV	(ACGIH)	0.025 mg/m ³	TWA Respirable fraction.
AEL *	(DUPONT)	0.01 mg/m ³	12 hr. TWA Respirable dust.
AEL *	(DUPONT)	0.02 mg/m ³	8 hr. TWA Respirable dust.

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

Remarks

Exposure must be minimized.

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: solid, granules
Color	: ivory
Odor	: none
Bulk density	: 41 - 45 lb/ft ³
	loose
Water solubility	: dispersible

SECTION 10. STABILITY AND REACTIVITY

Stability	: Stable at normal temperatures and storage conditions.
Incompatibility	: None reasonably foreseeable.

SECTION 11. TOXICOLOGICAL INFORMATION

Inhalation 4 h LC50	: > 5.0 mg/l , rat
Dermal LD50	: > 2,000 mg/kg , rabbit
Oral LD50	: > 5,000 mg/kg , rat
Skin irritation	: No skin irritation, rabbit

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

Eye irritation : slight irritation, rabbit

Sensitisation : Did not cause sensitisation on laboratory animals., guinea pig

Chlorimuron ethyl

Repeated dose toxicity :

The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Dermal
rabbit

No toxicologically significant effects were found.

Oral
dog

Abnormal decrease in number of red blood cells

Oral
rat

No adverse effect has been observed in chronic toxicity tests.

Titanium Dioxide

Carcinogenicity

: Based upon all available study results, DuPont scientists conclude that titanium dioxide will not cause lung cancer or chronic respiratory diseases in humans at concentrations experienced in the workplace.

Quartz

Repeated dose toxicity :

The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Inhalation
Fluid retention in lungs (pulmonary oedema), lung effects,
Inflammation, Chronic lung disease, Fibrosis

Carcinogenicity : Human carcinogen.

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

DuPont has classified this material as a known human carcinogen.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity	
Chlorimuron ethyl	
96 h LC50	: Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l
96 h LC50	: Lepomis macrochirus (Bluegill sunfish) > 100 mg/l
72 h EC50	: Pseudokirchneriella subcapitata (green algae) 0.001 mg/l
48 h EC50	: Daphnia magna (Water flea) > 1,000 mg/l
Additional ecological information	: Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. Do not apply where/when conditions favour runoff.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal	: Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
Container Disposal	: Container Refilling and Disposal: Refer to the product label for instructions.

SECTION 14. TRANSPORT INFORMATION

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

IATA_C	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorimuron ethyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3077
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorimuron ethyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Chlorimuron ethyl)

Not regulated as a hazardous material by TDG.

SECTION 15. REGULATORY INFORMATION

PCP Registration #	: 25433
Remarks	: Regulated under the Pest Control Products Act - WHMIS exempt.

SECTION 16. OTHER INFORMATION

MSDS preparation date : 02/24/2014

™ Trademark of E.I. du Pont de Nemours and Company.

Material Safety Data Sheet



DuPont™ Classic® Herbicide

Version 2.1

Revision Date 02/24/2014

Ref. 130000023963

® Registered trademark of E.I. du Pont de Nemours and Company

Contact person : E.I. DuPont Canada Company, Mississauga, Ontario, L5M 2H3

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.