



The Chemical Company

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 1/8
(30276867/SDS_CPA_CA/EN)

1. Product and Company Identification

Company

BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1, CANADA

24 Hour Emergency Response Information

CANUTEC (reverse charges): (613) 996-6666
BASF HOTLINE: (800) 454-COPE (2673)

Molecular formula: C₁₈ H₁₂ Cl₂ N₂ O ; C₁₉ H₁₈ Cl N₃ O₄
Chemical family: crop protection product, fungicide, water dispersible granules
PCP # 27985
Synonyms: pyraclostrobin + boscalid

2. Hazards Identification

Emergency overview

WARNING:
Contains the allergen sulfite(s).
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
Avoid contact with the skin, eyes and clothing.

State of matter: solid
Colour: brown
Odour: almost odourless

Potential health effects

Acute toxicity:

Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Irritation / corrosion:

Not irritating to the skin. Not irritating to the eyes.

Sensitization:

Skin sensitizing effects were not observed in animal studies.

Chronic toxicity:

Repeated dose toxicity: No known chronic effects.

Medical conditions aggravated by overexposure:

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 2/8
(30276867/SDS_CPA_CA/EN)

Potential environmental effects

Aquatic toxicity:

Very toxic (acute effect) to fish. Very toxic (acute effect) to aquatic invertebrates. Acutely toxic for aquatic plants.

Terrestrial toxicity:

With high probability not acutely harmful to terrestrial organisms.

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Hazardous ingredients</u>
175013-18-0	12.8 %	Pyraclostrobin
188425-85-6	25.2 %	Boscalid

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Note to physician

Antidote:	No known specific antidote.
Treatment	Treat symptomatically.

5. Fire-Fighting Measures

Flash point:		not applicable
Autoignition:		not applicable
Lower explosion limit:		not determined
Upper explosion limit:		not determined
Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Self-ignition temperature:	328 °C	(Directive 92/69/EEC, A.16)

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Hazards during fire-fighting:

carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, organochloric compounds, sulfur oxides
The substances/groups of substances mentioned can be released in case of fire.

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 3/8
(30276867/SDS_CPA_CA/EN)

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Cleanup:

Avoid raising dust. Sweep/shovel up. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Keep away from heat. Protect against moisture. Protect from direct sunlight. Keep in a cool, well-ventilated place.

Storage incompatibility:

General advice: Segregate from foods and animal feeds. Segregate from strong acids. Segregate from strong bases. Segregate from strong oxidizing agents.

Temperature tolerance

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 4/8
(30276867/SDS_CPA_CA/EN)

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	granules, extrudates	
Odour:	almost odourless	
Odour threshold:	No data available.	
Colour:	brown	
pH value:	approx. 6 - 8	(1 %(m), 20 °C) (as suspension)
melting range:	approx. 50 °C	
Boiling point:		not applicable, The substance / product decomposes therefore not determined.
Vapour pressure:		negligible
Density:	approx. 1.51 g/cm ³	(20 °C) (OECD Guideline 109)
Bulk density:	approx. 600 kg/m ³	
Vapour density:		negligible
Viscosity, dynamic:		not applicable
Solubility in water:		dispersible

10. Stability and Reactivity

Minimum ignition energy:

> 100 - < 300 mJ

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 5/8
(30276867/SDS_GPA_CA/EN)

concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

172 °C

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating (Directive 92/69/EEC, A.17)

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50

Species: rat

Value: approx. 1,490 mg/kg

Inhalation:

Type of value: LC50

Species: rat (male/female)

Value: > 5.4 mg/l

Exposure time: 4 h

Dermal:

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

Irritation / corrosion:

Eye:

Species: rabbit

Result: non-irritant

Method: OECD Guideline 405

Sensitization:

modified Buehler test

Species: guinea pig

Result: Non-sensitizing.

Genetic toxicity

Information on: *Boscalid*

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 6/8
(30276867/SDS_CPA_CA/EN)

No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. The substance was not mutagenic in a test with mammals.

Information on: Pyraclostrobin

No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. The substance was not mutagenic in a test with mammals.

Carcinogenicity

Information on: Boscalid

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Information on: Pyraclostrobin

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Information on: Boscalid

The results of animal studies gave no indication of a fertility impairing effect.

Information on: Pyraclostrobin

The results of animal studies gave no indication of a fertility impairing effect.

Development:

Information on: Boscalid

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Information on: Pyraclostrobin

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

12. Ecological Information

Fish

Acute:

OECD Guideline 203 *Oncorhynchus mykiss*/LC50 (96 h): 0.042 mg/l

Aquatic invertebrates

Acute:

OECD Guideline 202, part 1 *Daphnia magna*/EC50 (48 h): 0.08 mg/l

Aquatic plants

Toxicity to aquatic plants:

OECD Guideline 201 green algae/EC50 (72 h): 4.99 mg/l

Bioaccumulation

Information on: Boscalid

*Rainbow trout (28 d) Bioconcentration factor 57 - 70
Does not accumulate in organisms.*

Information on: pyraclostrobin

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 7/8
(30276867/SDS CPA_CA/EN)

OECD-Guideline 305
Rainbow trout Bioconcentration factor 379 - 507
Accumulation in organisms is not to be expected.

Environmental mobility:

Information on: Boscalid
Assessment transport between environmental compartments:
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on: pyraclostrobin
Assessment transport between environmental compartments:
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3077
Hazard label: 9, EHSM
Marine pollutant: YES
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains BOSCALID 25%, PYRACLOSTROBIN 13%)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN 3077
Hazard label: 9, EHSM
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(contains BOSCALID 25%, PYRACLOSTROBIN 13%)

Safety Data Sheet

PRISTINE™ WG FUNGICIDE

Revision date : 2012/05/09
Version: 2.1

Page: 8/8
(30276867/SDS_CPA_CA/EN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical DSL, CA released; restriction on quantity / not listed

crop protection product

Crop Protection DSL, CA released / exempt

WHMIS does not apply to this product.

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

16. Other Information

Recommended use: fungicide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:

BASF NA Product Regulations

msds@basf.com

BASF HOTLINE (800) 454 – COPE (2673)

MSDS Prepared on: 2012/05/09

END OF DATA SHEET