

- Overview
- Fungicides
 - Aliette
 - Flint
 - Folicur EW
 - Delaro
 - Luna Tranquility
 - Proline
 - Proline west
 - Propulse
 - Prosaro
 - Prosaro west
 - Reason
 - Scala
 - Serenade MAX
 - Serenade SOIL
 - Serenade CPB
 - Stratego
 - Stratego PRO
 - Tattoo C
- Herbicides
- Insecticides
- Other
- Seed
- Seed Treatments

- Bayer Links**
- Bayer Global
 - Bayer CropScience Global

Home > Products > Fungicides > Stratego PRO

Stratego PRO

Overview

Labels and MSDS

Application Tips

Application Tips – Soybeans

- For best white mould protection, aim to protect flowers and apply before disease is present
- When disease pressure is high, make a second application 10-14 days later

Application Tips – Winter Wheat

- For best results, apply before disease is present or at the first sign of disease pressure
- When tank mixing with Buctril M or Infinity, do not apply within 24 hours of night temperatures below 5°C as crop injury (leaf tip burn) may occur
- Complete a follow-up application with Prosaro® at heading for complete disease management
- No surfactant required

Rate		
Soybeans – Diseases, Rates, and Timing		
DISEASE	RATE	TIMING
Asian soybean rust	572 mL/ha (230 mL/ac.)	R1 (beginning of bloom) to R5 (beginning of seed formation). For best results, apply between R2 (full bloom) and R3 (onset of pod formation).
Brown spot		
Charcoal rot (suppression)		
Frogeye leaf spot		
Stem blight		
White mould (suppression)		

Search

Region: Ontario

MyBayer

[>> Forgot Password](#)

Find My Local Bayer Rep

Don't know your local Bayer CropScience representative?

- Print
 - Facebook
 - Twitter
 - Email
 - Gmail
 - Favorites
 - More... (294)
-
- AddThis

Winter wheat – Diseases, Rates and Timing

DISEASE	RATE	TIMING
Powdery mildew Septoria leaf blotch	440 mL/ha (177 mL/ac.)	Optimal timing is T1 (Z 21 to Z 37). This application can be made in conjunction with herbicide timing for early-season pest control.

Packaging

Soybeans: Each 7.1 L jug treats 30 ac.
Winter wheat: Each 7.1 L jug treats 40 ac.


Water Volumes


Soybeans: 5-20 gal./ac.
Winter wheat: 20 gal./ac.

Rainfastness

Rainfast in one hour

SOYBEAN PRODUCT APPLICATION TIMING





Last updated:
April 21, 2015

- » General Terms of Use
- » Privacy Statement
- » About
- » General Terms of Use

Social Media
Print
Bookmark