



**LABEL**

**AGPRO BLUE MARKER DYE**

EFFECTIVE 01/05/13

## **CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

# **AGPRO Blue Marker Dye**

**A BLUE MARKER DYE FOR ADDITION TO SPRAY SOLUTIONS, PROVIDING A TEMPORARY INDICATOR TO IDENTIFY SPOT OR BOOM SPRAYED AREAS.**

**Read the directions for use before using this product.**

Batch No:  
Net Contents:

Distributed by:  
**AGPRO NZ Ltd**  
10 Polaris Place,  
East Tamaki  
P O Box 58-963,

East Tamaki, Auckland.  
Ph 09 273 3456  
Fax 09 273 3457

Website: [www.agpro.co.nz](http://www.agpro.co.nz)

Contact AGPRO Direct on freephone 0508 536 536 or visit our website [www.agpro.co.nz](http://www.agpro.co.nz)

**CAUTION:** May cause minor eye or skin irritation after repeated or prolonged contact.

**APPROVED HANDLER :** Not required.

**STORAGE:** Keep away from heat or any sources of ignition. Store in original container, tightly closed and away from foodstuffs. Store in a cool dry well ventilated area, avoiding sunlight and temperatures below – 5°C and above 35°C. When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for information about the use of product that is older than this.

**PROTECTIVE CLOTHING:** When mixing or applying this product, overalls, boots, gloves and eye protection should be worn.

**SPRAYING EQUIPMENT:** Apply only with well maintained and calibrated equipment.

**PERSONAL HYGIENE:** Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

**TRACKING:** This product does not need to be tracked.

**RECORDS:** Record keeping is not required when using this product.

**PRODUCT DISPOSAL:** Dispose of this product only by using according to the label directions or if this is not possible alternatively contact your supplier for advice.

**CONTAINER DISPOSAL:** Triple rinse container and add rinsate to the spray tank. Dispose at an approved landfill. Do not burn. Do not use container for any other purpose.

**First Aid:** If swallowed, rinse mouth and give a glass or two of water or milk. DO NOT induce vomiting. If splashed in eyes, wash out immediately with water. If skin or hair contact occurs, remove contaminated clothing and flush with soap and water. For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor immediately.

**Emergency Response:** In a transport emergency call 111, Police or Fire Brigade.

**Spillage:** Exclude non-essential people from the area. Remove any sources of ignition. Wear protective clothing and prevent chemical from entering waterways. Absorb spill with inert material such as soil, sand, etc and place in a waste container. Wash area with water, and absorb with further inert material. Dispose of safely to an approved landfill.

**Safety Data Sheet:** Additional information is provided in the safety data sheet. Phone 09 273 3456 or visit [www.agpro.co.nz](http://www.agpro.co.nz) for a copy.

**Shelf Life:** When stored at temperatures between 8 – 28°C, this product should show no significant degradation for two years from the date of manufacture. Contact us for further information about the use of product that is older than this.

**AGPRO BLUE MARKER DYE** is a temporary blue pattern indicator for use in many agricultural, turf and industrial applications. It is best used with a suspension concentrate type formulation to show up against the green vegetation. The bright blue colour shows you exactly where liquid pesticides and fertilizers have been applied. It helps to prevent skips and overlaps, and aids in detecting spray drift.

**COMPATIBILITY:** Compatible with most pesticides and foliar fertilizers, however a small trial is recommended.

**MIXING PROCEDURE:** Add the desired quantity of AGPRO BLUE MARKER DYE directly into the partially filled spray after the pesticide or foliar fertiliser has been added. Agitate while filling with the remaining quantity of water to ensure the product is fully dispersed.



**LABEL**

## **AGPRO BLUE MARKER DYE**

EFFECTIVE 01/05/13

**WITHHOLDING PERIOD:**

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Food Standards.

**APPLICATION RATES:** The dosing rate depends on the type of terrain being treated, intensity of colour required and the period the marker is to stay visible. The user should adjust the dosing rate to establish a rate that is economical and practical for that particular application. The higher the dosing rate the darker the spray pattern. A suggested starting rate is 300ml/100L of spray mix.

**CONDITIONS OF SALE:** The use of AGPRO BLUE MARKER DYE being beyond the control of the manufacturer, no warranty expressed or implied, beyond that cover under the Fair Trading Act is given by AGPRO NZ Limited regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and AGPRO NZ Limited accepts no responsibility for any consequence whatsoever resulting from the use of this product.