

2014-4344  
2014-10-21

CARTON

**WILSON<sup>®</sup>**  
**50% Malathion**  
**LIQUID**  
**INSECTICIDE-MITICIDE**

KILLS MANY INSECTS

DOMESTIC

REG. NO. 9802 P.C.P. ACT

GUARANTEE: Malathion 50%

DANGER



POISON

READ THE LABEL AND CARTON BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

100 mL (250 mL) (500 mL)

Sure-Gro IP Inc. / Lic. Premier Tech Home & Garden Inc.,  
P.O. Box 21001, Brantford, ON N3R 7W9  
1-800-268-2806

**DIRECTIONS FOR USE:** For outdoor use only.

**VEGETABLES, FRUITS, FLOWERS AND ORNAMENTALS:** To control aphids, bagworm, beetles, budmoth, cabbage worm, caterpillars, codling moth, currant fruitworm, fruit moth, lace bug, leafhopper, leafminer, leafroller, mealybug, mites, pine shoot moth, pear psylla, plant bug, plum curculio, raspberry fruitworm, tent caterpillars, whitefly. Mix 10 mL (2 teaspoonfuls) in 3 L of water and spray to wet all surfaces of foliage. Apply at first appearance of insects. Repeat application as required or at 7 day intervals. Do not apply within seven days of harvest of edible crops. Leaf lettuce within fourteen days. For spruce budworm apply at 20 mL (4 teaspoonfuls) in 3 L of water as soon as larvae appear. Injury may occur to African violet, crassula, fern, petunia, Sabina and Canaerti juniper, red maple, McIntosh and Courtland apples, Bosc and Bartlett pears, and Ribier grapes.

**CLOVER MITES, ANTS AND MILLIPEDES: TREATMENT OF OUTDOOR STRUCTURAL FOUNDATIONS ONLY** and 1 m wide path surrounding the foundation. Mix 60 mL (4 tablespoonfuls) in 1 litre of water and spray exterior walls and around buildings.

**MOSQUITOES:** Mix 20 mL (4 teaspoonfuls) in 3 L of water and spray on 40 m<sup>2</sup> of shrubs.

Avoid application of this product when winds are gusty. DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist and contact with skin and eyes. Wear rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before use.

**ENVIRONMENTAL HAZARDS: TOXIC** to birds and aquatic organisms. Highly toxic to fish and bees. Spray flowers in late evening. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Do not contaminate ponds, streams or other aquatic systems through direct application, disposal of waste or cleaning equipment.

**FIRST AID: DANGER.** This product contains petroleum distillates. **If swallowed,** call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may

2014-4344  
2014-10-21

include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison centre at once. Atropine and 2-PAM are antidotal.

**STORAGE:** Do not contaminate water, food, or feed by storage or disposal. Keep in original container during storage. Isomalathion, a toxic metabolite of malathion forms when malathion product is stored at elevated temperatures or for extended periods of time. Malathion product must be stored in a cool (< 20 - 23°C), dry, well ventilated place away from seed, fertilizer or other pesticides and for no longer than one year.

**DISPOSAL:** Do not reuse empty container. Wrap and dispose of empty container with household garbage.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.  
[www.pthomeandgarden.com](http://www.pthomeandgarden.com)**

2014-4344  
2014-10-21

BOTTLE

**WILSON<sup>®</sup>**  
**50% Malathion**  
**LIQUID**  
**INSECTICIDE-MITICIDE**

KILLS MANY INSECTS

DOMESTIC

REG. NO. 9802 P.C.P. ACT

GUARANTEE: Malathion 50%

DANGER



POISON

READ THE LABEL AND CARTON BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

100 mL (250 mL) (500 mL)

Sure-Gro IP Inc. / Lic. Premier Tech Home & Garden Inc.,  
P.O. Box 21001, Brantford, ON N3R 7W9  
1-800-268-2806

2014-4344  
2014-10-21

REFER TO AND RETAIN CARTON FOR USE DIRECTIONS.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist and contact with skin and eyes. Wear rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before use.

**FIRST AID: DANGER.** This product contains petroleum distillates. **If swallowed,** call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison centre at once. Atropine and 2-PAM are antidotal.

**DISPOSAL:** Do not reuse empty container. Wrap and dispose of empty container in household garbage.

**For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806.**  
[www.pthomeandgarden.com](http://www.pthomeandgarden.com)