

Syngenta Canada Inc.  
140 Research Lane, Research Park  
Guelph, ON N1G 4Z3

**In Case of Emergency, Call  
1-800-327-8633 (FAST MED)**

**Date of MSDS Preparation (Y/M/D): 2011-12-31**

**Supersedes date (Y/M/D): 2008-12-31**

**MSDS prepared by:**  
Department of Regulatory & Biology Assessment  
Syngenta Canada Inc.

**For further information contact:**  
1-87-SYNGENTA (1-877-964-3682)

## SECTION – 1: PRODUCT IDENTIFICATION

**Product Identifier:** BRAVO® ZN  
**Registration Number:** 28900 (Pest Control Products Act)  
**Chemical Class:** Chlorinated benzonitrile fungicide.

Formulation No.: A7867G

**Active Ingredient (%):** Chlorothalonil (38.7 %)  
**Chemical Name :** Tetrachloroisophthalonitrile  
**Product Use:** Water based fungicide concentrate to be mixed with water and used to control diseases in potato crops. Please refer to product label for further details.

CAS NO.: 1897-45-6

## SECTION – 2: COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen	WHMIS†
Amorphous Silica	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> TWA (total dust)	10 mg/m <sup>3</sup> TWA (respirable dust)	6 mg/m <sup>3</sup> TWA **	IARC Group 3	Not Established
Propylene Glycol CAS No. 57-55-6	Not Established	Not Established	10 ppm TWA ****	No	Yes
Chlorothalonil (38.7%)	Not Established	Not Established	0.1 mg/m <sup>3</sup> TWA ***	IARC Group 2B	Not Established

\*\* Recommended by NIOSH

\*\*\* Syngenta Occupational Exposure Limit (OEL)

\*\*\*\* Recommended by AIHA (American Industrial Hygiene Association)

† Material listed in Ingredient Disclosure List under Hazardous Products Act.

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.  
Syngenta Hazard Category: D, S

## SECTION – 3: HAZARDS IDENTIFICATION

### Symptoms of Acute Exposure

Harmful if inhaled. Causes eye irritation. May cause an allergic reaction in some individuals. May cause respiratory tract irritation.

### Hazardous Decomposition Products

Can decompose at high temperatures forming toxic gases.

### **Physical Properties**

Appearance: Gray liquid.  
Odour: Slight.

### **Unusual Fire, Explosion and Reactivity Hazards**

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

### **Potential Health Effects**

**Relevant routes of exposure:** Skin, eyes, mouth, lungs.

## **SECTION – 4: FIRST AID MEASURES**

**IF POISONING IS SUSPECTED, immediately contact the poison information centre, doctor or nearest hospital.** Have the product container, label or Material Safety Data Sheet with you when calling Syngenta, a poison control center or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [**1-800-327-8633 (1-800-FASTMED)**], for further information.

**EYE CONTACT:** Flush eyes with clean water, holding eyelids apart for a minimum of 15 - 20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta, a poison control center or doctor for treatment advice. Obtain medical attention immediately if irritation persists.

**SKIN CONTACT:** Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with plenty of water for 15-20 minutes. Call Syngenta, a poison control centre or doctor for treatment advice.

**INHALATION:** Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call Syngenta, a poison control centre or doctor for treatment advice.

**INGESTION:** If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for treatment advice. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician or a poison control center. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer water.

### **NOTES TO PHYSICIAN:**

There is no specific antidote if this product is ingested. Treat symptomatically. Persons suffering with temporary allergic skin reactions may respond to treatment with oral antihistamines and topical or oral steroids.

### **MEDICAL CONDITIONS KNOWN TO BE AGGRAVATED:**

Asthma or other respiratory conditions may be aggravated by chemical irritants.

## **SECTION – 5: FIRE FIGHTING MEASURES**

**Flash point and method:** >100°C

**Upper and lower flammable (explosive) limits in air:** Not applicable.

**Auto-ignition temperature:** Not applicable.

**Flammability:** Not flammable.

**Hazardous combustion products:** During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

**Conditions under which flammability could occur:** Keep fire exposed containers cool by spraying with water.

**Extinguishing media:** Use water fog or mist, (avoid use of water jet), foam, carbon dioxide, dry powder or halon extinguishant. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

**Sensitivity to explosion by mechanical impact:** None known.

**Sensitivity to explosion by static discharge:** None known.

## SECTION – 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Make sure all personnel involved in the spill cleanup follow good industrial hygiene practices. A small spill can be handled routinely. Use adequate ventilation and equipment and wear clothing as described in Section 8 and/or the product label.

**Procedures for dealing with release or spill:** Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Pump or scoop large amounts of liquid into a disposable container. Absorb remaining liquid or smaller spills with clay, sand or vermiculite. Scoop or sweep up material and place into a disposable container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into compatible disposal container. On soils, small amounts will naturally decompose. For large amounts skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory authority.

## SECTION – 7: HANDLING AND STORAGE

**Handling practices:** KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment. Wash hands thoroughly with soap and water after working with product, and before eating, handling tobacco, drinking, or using the toilet. Wash contaminated clothing separate from household laundry before re-use. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

**Appropriate storage practices/requirements:** Store in original container only in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

**National Fire Code classification:** Not specified.

## SECTION – 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Applicable control measures, including engineering controls:** This product is intended for use outdoors where engineering controls are not necessary. If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels below the TLV. Warehouses, production area, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.**

**CONSULT THE PRODUCT LABEL FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS.**

**Personal protective equipment for each exposure route:**

General: Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

**INGESTION:** Do not eat, drink, handle tobacco or apply cosmetics in areas where there is a potential for exposure to this material. Always wash thoroughly after handling.

**EYES:** Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**SKIN:** Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemical-resistant footwear. For overhead exposure, wear chemical-resistant headgear.

**INHALATION:** A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits. In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

## SECTION – 9: PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Gray liquid.

**Formulation Type:** Suspension Concentrate.

**Odour:** Slight.

**pH:** 7.5 – 9.5.

**Vapour pressure and reference temperature:**  $5.7 \times 10^{-7}$  mmHg @ 25 °C (Chlorothalonil Technical).

**Vapour density:** Not available.

**Boiling point:** 100 °C.

**Melting point:** Not applicable.

**Freezing point:** -5 °C.

**Specific gravity or density:** 1.29 g/mL.

**Evaporation Rate:** Not available.

**Water/oil partition coefficient:** Not available.

**Odour threshold:** Not available.

**Viscosity:** ~1000 mPas (or cps) @ 20 °C.

**Solubility in Water:** 0.81 mg/L @ 25 °C (Chlorothalonil Technical).

## SECTION – 10: STABILITY AND REACTIVITY

**Chemical stability:** Stable under normal use and storage conditions.

**Conditions to avoid:** None known.

**Incompatibility with other materials:** None known.

**Hazardous decomposition products:** Can decompose at high temperatures forming toxic gases.

**Hazardous polymerization:** Not known to occur.

## SECTION – 11: TOXICOLOGICAL INFORMATION

### Acute toxicity/Irritation Studies (Finished Product):

Ingestion:	Low Acute Toxicity Oral (LD50 Rat):	3,750 mg/kg body weight
Dermal:	<u>Low Acute Toxicity</u> Dermal (LD50 Rabbit):	> 2,000 mg/kg body weight
Inhalation:	<u>Slightly Toxic</u> Inhalation (LC50 Rat):	> 1.96 mg/L air - 4 hours
Eye Contact:	<u>Moderately Irritating (Rabbit)</u>	
Skin Contact:	<u>Slightly Irritating (Rabbit)</u>	
Skin Sensitization:	<u>Sensitizer (Guinea Pig)</u>	

### **Reproductive/Developmental Effects**

Chlorothalonil: No evidence of adverse developmental or reproductive effects in animal studies.

### **Chronic/Subchronic Toxicity Studies**

Chlorothalonil: In dogs, 1 years administration caused a significant decrease in body weight gain and increases in absolute liver and kidney weights.

### **Carcinogenicity**

Chlorothalonil: No evidence of carcinogenicity in dogs after administration for up to one year. Chlorothalonil causes kidney tumours in rats and mice via a non-gentoxic mode of action secondary to target organ toxicity. IARC identifies chlorothalonil as a 2B carcinogen (possibly carcinogenic to humans).

**Other Toxicity Information:**

Surveillance of chlorothalonil plant workers for over twenty years has not demonstrated any increase in oncogenic potential to humans. May cause irritation to the respiratory tract.

**Toxicity of Other Components**

Test results reported in Section 11 for the finished product take into account any acute hazards related to the excipient ingredients in the formulation.

**Amorphous Silica**

Amorphous Silica is listed as an IARC (Group 3) carcinogen not classifiable as a human carcinogen (No Data Available) with limited animal evidence. Prolonged exposure to amorphous silica may cause damage to respiratory system and irritation to skin and eyes.

**Propylene Glycol**

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in experimental animals.

**Other materials that show synergistic toxic effects together with the product:** None known.

**Target Organs**

Active Ingredient

Chlorothalonil: Lung, eye, kidney.

Inert Ingredients

Amorphous Silica Respiratory tract, skin, eye.  
Propylene Glycol CNS, skin, eye, kidney, liver.

**SECTION – 12: ECOLOGICAL INFORMATION**

**Summary of Effects**

The active ingredient, chlorothalonil, is practically nontoxic to plants, algae, birds and insects, but is slightly toxic to mammals, and highly toxic to fish and aquatic invertebrates (water flea).

**Eco-Acute Toxicity**

Chlorothalonil:

Green Algae 5-day EC <sub>50</sub>	190 ppb
Invertebrates (Water Flea) LC <sub>50</sub> /EC <sub>50</sub>	70 ppb
Fish (Rainbow Trout) 96-hour LC <sub>50</sub>	47 ppb
Bird (Mallard Duck) Oral LD <sub>50</sub>	> 4640 mg/kg

**Environmental Fate**

Chlorothalonil has a low bioaccumulation potential, low mobility in soil and is not persistent in soil or water. The dissipation half-life in soil is 10-60 days and in water it is <8 days. The main route of degradation is by microbial degradation and formation of bound residues.

**SECTION – 13: DISPOSAL CONSIDERATIONS**

**Waste disposal information:**

Do not reuse empty containers unless they are specifically designed to be refillable.. Empty container retains product residue. Triple rinse, or equivalent, empty container, return rinse water to dilution mixture, and dispose of dilution mixture as a hazardous waste if it cannot be disposed of by use according to label instructions. Dispose of empty containers in accordance with local regulations. Consult provincial environment ministry for advice on waste disposal. Industrial/commercial waste may be handled at licensed facilities only. Waste shipments must be securely packaged and properly labelled. Only licensed carriers may be used, and proper documents must accompany the shipment.

## SECTION – 14 : TRANSPORT INFORMATION

### Shipping information such as shipping classification:

TRANSPORTATION OF DANGEROUS GOODS CLASSIFICATION - ROAD/RAIL  
Not Regulated

## SECTION – 15: REGULATORY INFORMATION

### WHMIS classification for product: Exempt

**A statement that the MSDS has been prepared to meet WHMIS requirements, except for use of the 16 headings.**  
This MSDS has been prepared in accordance with WHMIS requirements, but the data are presented under 16 headings.

Other regulations; restrictions and prohibitions

Pest Control Products (PCP) Act Registration No.: 28900

## SECTION – 16: OTHER INFORMATION

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This Material Safety Data Sheet is valid for three years. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant MSDS. Hazardous properties of all ingredients have been considered in the preparation of this MSDS. Read the entire MSDS for the complete hazard evaluation of this product.

Prepared by: Syngenta Canada Inc.  
1-87-SYNGENTA (1-877-964-3682)

Syngenta Canada Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Syngenta Canada Inc., Syngenta Canada Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

BRAVO® is a trademark of a Syngenta Group Company.