

4-26, IKENOHATA 1-CHOME, TAITOH-KU TOKYO 110-8782, JAPAN

SAFETY DATA SHEET

Date: August 21, 2012

Revision:

1. Identification of the substance or mixture and of the supplier

1.1 Product identifier Reference No.

Product name KIH-485 85%WG

Synonyms Pyroxasulfone; Pyroxasulfone 85 WG; SAKURA®; Zidua®

1.2 Recommended use of the chemical and restrictions on use

Research purposes only

1.3 Supplier's details

Manufacturer and address Kumiai Chemical Industry Co., Ltd.

1-4-26, Ikenohata, Taitoh-ku, Tokyo 110-8782

Japan

Person responsible for SDS Eisuke Ozaki, Research & Development Dept.

Telephone +81-(0)3-3822-5174 Telefax +81-(0)3-3822-5005

e-mail <u>soumu@kumiai-chem.co.jp</u>

1.4 Emergency telephone (not available outside office hours)

Telephone in Japan +81-(0)3-3822-5174

2. Hazard identification

Classification of the mixture

2.1 Physical hazards

Not relevant

2.2 Health hazards

Acute toxicity Oral Not classified

Dermal Not classified Inhalation (gas) Not applicable

(vapour) Classification not possible

(mist/dust) Not classified

Skin corrosion/irritation Not classified Serious eye damage/eye irritation Not classified

Respiratory sensitization Classification not possible

Skin sensitization Category 1
Germ cell mutagenicity Not classified
Carcinogenicity Category 1A
Reproductive toxicity Not classified
Specific target organ toxicity Not classified

(single exposure)

Specific target organ toxicity Category 1 (liver, kidney, urinary bladder, cardiovascular

(Repeated exposure) system)

Aspiration hazard Classification not possible

2.3 Environmental hazard

Hazardous to the aquatic environment

Acute aquatic toxicity Category 1
Chronic aquatic toxicity Category 1

2.4 Label elements

Pictograms or hazard symbols







Signal words	Danger	
Hazard statements	May cause an allegic skin reaction May cause cancer Causes damage to organs (respiratory system, kidney, liver, urinary bladder, cardiovascular system) through prolonged or repeated exprosure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	(code) H317 H350 H372 H400 H410
Precautionary statements Safety precautions	Obtain special instructions before use.	P201
	Do not handle until all safety precautions have been read and understood.	P202
	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands throughly after handling	P260 P264
	Do not eat, drink or smoke when using this product.	P270
	Contaminated work clothing should not be allowed out of the workplace.	P272
	Avoid release to the environment if this is not the intended use.	P273
	Wear protective gloves/protective clothing/eye protection/face protection.	P280
First-aid measures	IF ON SKIN: Wash with plenty of soap and water.	P302+P352
	Get medical advice/attention if you feel unwell. If skin irritation or rash occurs: Get medical advice /attention.	P314 P333+P313
	Specific treatment (see first aid instructions in Section	P321
	4 on this SDS) Take off contaminated clothing and wash it before reuse.	P362+P364
	Collect spillage.	P391
Storage conditions	Store locked up.	P405
Disposal methods	Dispose of contents/container in accordance with local regulation.	P501

3. Composition/information on ingredients

Substance/Mixture Mixture

Composition Ingredients CAS number Consentration
Pyroxasulfone 447399-55-5 85%

Crystalline silica 14808-60-7 < 0.15% Other Ingredient (Non-hazardous) to balance

Active ingredient Pyroxasulfone

Chemical name (IUPAC) 3-[5-(difluoromethoxy)-1-methyl-3-(trifluoromethyl)pyrazol-4-

ylmethylsulfonyl]-4,5-dihydro-5,5-dimethyl-1,2-oxazole

Common name (ISO) Pyroxasulfone

Synonyms Sakura®, Zidua®, KIH-485

Molecular formula $C_{12}H_{14}F_5N_3O_4S$

4. First aid measures

4.1 Description of necessary first-aid measures

Inhalation Move person to fresh air and keep at rest. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

Call a poison control centre or doctor for futher treatment advice.

Skin contact Take off contaminated clothing. Rince skin immediately with plenty of water for 15-

20 minutes. Call a poison control centre or doctor for treatment advice.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after the first 5 minutes and then continue rinsing. Call a

poison control centre or doctor for treatment advice.

Ingestion Call a poison control centre or doctor immediately for treatment advice. Have person

sip a glass of water if able to swallow. Do not induce vomitimg unless told to by a poison control centre or doctor. Do not give any thing to an unconscious person.

4.2 Most important symptoms/effects, acute and delayed

Not available

4.3 Indication of immediate medical attention and special treatment needed, if necessary Not available

5. Fire-fighting measures

5.1 Suitable extinguishing media

Suitable extinguishing media Carbon dioxide (CO₂), extinguishing powder A/B/C, foam,

atomized water, or sand.

Unsuitable extinguishing media Rod-like water

5.2 Special hazards arising from the chemical

CO, CO₂, SO, SO₂, nitrogen oxides, sulphur oxides, hydrogen fluoride and hydrogen cyanide may be released in a fire.

5.3 Special protective actions for firefighters

Wear self-contained breathing apparatus and full protective equipment. If possible and without risk, remove intact containers from exposure to fire. Contain firefighting water by bunding area with sand or earth to prevent it entering any bodies of water. Dispose if fire control water or other extinguishing agent and spillage safely later.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective gears to avoid breathing vapour and contact with skin, eyes or clothing when working on a spill (see Section 8).

Ventilate the closed area.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up

Collect by sweeping or suction into hermetically sealed containers and dispose of according to local Regulations.

Prevent spills from entering sewers, watercourses or low areas.

Remove all sources of ignition; flares, smoking or flames in the area immediately.

7. Handling and storage

7.1 Precautions for safe handling

Keep out of reach of children. Avoid ingestion. Avoid contact with skin, eyes or clothing. Avoid inhalation of dust. When preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, elbow-length gloves and goggles.

Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing/PPE before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Store in the closed, original container in a cool, well-ventilated area.

Do not store for prolonged periods in direct sunlight.

Keep away from heat , steam pipe or combustible materials. Keep away from food, drink and animal feeding stuffs.

8. Exposure controls/personal protection

8.1 Control parameters

Not established

8.2 Occupational exposure limit values or biological limit values

Not established

8.3 Appropriate engineering controls

Avoid creation of dust. Control process conditions to avoid contact.

Use in a well ventilated area only. Refer to the product label

Make available emergency shower and eye washes in a work area and storage area. Make available local exhaust ventilation and use sealed equipment to avoid exposure.

8.4 Individual protection measures, such as personal protective equipment

Eye protection Wear safety goggles as appropriate.

Skin protection Wear gloves, protective garment (coverall) and boots as appropriate.

Respiratory protection Wear chemical cartridge respirator with an organic vapour cartridge,

airline repirator, positive pressure self-contained breathing appratus as

appropriate.

9. Physical and chemical properties

Appearance (physical state, colour Light brown, granule

etc.)

Odour Characteristic odor
Odour threshold Not relevant

pH ~9.5 (1% dilution in water)

Melting point/freezing point Not available (130.7°C -- pyroxasulfone)

 Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not applicable
Upper/lower flammability Not applicable

or explosive limits

Vapour pressure Not available (2.4 x 10⁻⁶ Pa (25°C) -- pyroxasulfone)

Vapour density Not available

Relative density Not available (1.60g/cm³--pyroxasulfone)

Bulk density 1.58g/cm³

Solubilities (Disperses in water)

water Not avaliable (3.48mg/L at 20°C--pyroxasulfone)

acetone Not available

methanol Not avaliable (11.4g/L at 20°C--pyroxasulfone)

n-hexane Not available

toluene Not avaliable (11.3g/L at 20°C--pyroxasulfone)
dichloroethane Not avaliable (151g/L at 20°C--pyroxasulfone)
ethylacetate Not avaliable (97.0mg/L at 20°C--pyroxasulfone)
Partition coefficient: n-octanol/water Not available (log Pow 2.39 at 25°C -- pyroxasulfone)

Auto-ignition temperature Not available
Decomposition temperature Not available
Viscosity Not available

10. Stability and reactivity

10.1 Reactivity

Not available

10.2 Chemical stability

Stable under normal conditions of storage and use

10.3 Possibility of hazardous reactions

Hazardous polymerization has not been reported to occur under normal temperatures and pressures.

10.4 Conditions to avoid

Avoid sources extremes of temperature and direct sunlight

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

Carbon dioxide, cabon monoxide, nitrogenoxides, sulphur oxides, hydrogen fluoride and hydrogen cyanide may be released in a fire.

11. Toxicological information

Acute toxicity

Oral (rat) $LD_{50} > 2,000 \text{ mg/kg}$ Not classified Dermal (rat) $LD_{50} > 2,000 \text{ mg/kg}$ Not classified Inhalation (mist/dust) $LC_{50} > 5.8 \text{ mg/L}$ Not classified

Chronic Toxicity [Information on Pyroxasulfone]

A chronic toxicity study in dogs produced effects on nerve tissues, skeletal muscles, and clinical chemistry enzymes related to muscle tissues.

Skin corrosion/irritation Not classified

Mild irritant

Serious eye damage/irritation Not classified Moderately irritating

Respiratory or skin sensitisation

Respiratory: Classification not possible

Skin: Category 1

Respiratory sensitisation: Data lacking

Skin sensitisation: Sensitizer

Germ cell mutagenicity

Not classified

Not classified because the product does not contain any ingredients classified as Category 1

nor 2 mutagen.

Carcinogenicity

Category 1A

Classified as Category 1A because the product contains an ingredient classified as Category

1A carcinogen (crystalline silica) at more than 0.1%.

Reproductive toxicity

Not classified

Not classified because the product does not contain any ingredients classified as Category 1

nor 2 reproductive toxicant at more than 0.1%.

STOT-single exposure

Not classified

Not classified because the product does not contain any ingredients classified as Category 1

nor 2 specific target organ toxicant (single exposure) at more than 1.0%.

STOT-repeated exposure

Category 1 (liver, kidney, urinary

bladder, cardiovascular system)

Classified as Category 1 because the product contains an ingredient classified as Category 1 specific target organ toxicant (repeated exposure) (pyroxasulfone) more than 10%.

Aspiration hazard

Classification not possible

No Data

12. Ecological information

Acute aquatic toxicity

Category 1

Classified as Category 1 because ErC₅₀ (96h) to algae was 0.00263 mg/L.

Chronic aquatic toxicity

Category 1

Classified as Category 1 because the product is classified as Category 1 in acute aquatic

toxicity and is thought of as lack of rapid degradability (BIOWIN).

12.1 Toxicity

Fish (carp) LC_{50} (96 h) > 1,000mg/L Daphnia magna EC_{50} (48 h) > 1,000mg/L Algae ErC₅₀ (96 h) 0.00263mg/L

Honeybee Not available (LD₅₀ (48 h) > 100 μ g/bee-- pyroxasulfone) Not available (LC₅₀ (14d) > 997mg/kg -- pyroxasulfone) Earthworm Bird (bobwhite quail) Not available ($LD_{50} > 2,250 \text{ mg/kg}$ -- pyroxasulfone)

12.2 Persistence and degradability

DT₅₀ soil 16-28 days as pyroxasulfone

Biodegradability Not available

12.3 Bioaccumulative potential

Not available (log Pow 2.39-- pyroxasulfone)

12.4 Mobility in soil

Not available (Absorption/desorption Koc 1838 - 33617 --- pyroxasulfone)

12.5 Other adverse effects

Not available

13. Disposal considerations

Do not contaminate water, food, or feed by storage or disposal of this product. Empty bag may be disposed of in a sanitary landfill or by incineration, or, if allowed by state and authorities, by burning. If burned, stay out of smoke.

Do not discharge effluent containing this product into lakes, streams, ponds, etuaries, oceans, or other waters unless in accordance with the requirements of a local regulation. Do not discharge effluent containing this product to sewer systems without previously notyfing the local sewage treatment plant authority.

14. Transport information

14.1 UN number

3077

14.2 UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Pyroxasulfone)

14.3 Transport hazard class(es)

9





14.4 Packing group

Ш

14.5 Environmental hazards

Marine pollutant (P)

14.6 Special precautions for user

Do not transport the product with food and/or feed.

For the transportation, avoid elevated temperature and direct sunlight. Load the product without crushing, corroding of container and/or leaking from container. Prevent collapse of cargo. Do not load heavy goods on the top.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

15. Regulatory information

Not available

16. Other information

The SDS summarized our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the work place including in conjunction with other products.

If clarification or further information is needed to ensure that an appropreate risk assessment can be made, the user should contact this company.

Our resposibility for porducts sold is subect to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.